



## Specifications Philips LED SlimDownlight Ledinaire Slim G2 Square DN065B 11W 990lm 110D - 840 Cool White | 175x175mm

[View Product](#)

### General Information

|                          |                                         |
|--------------------------|-----------------------------------------|
| SKU                      | 241846                                  |
| EAN                      | 8718699679491                           |
| Brand                    | Philips                                 |
| Manufacturer Name        | DN065B G2 LED10/840 11W 220V L150 SQ EU |
| Any Lamp all-in warranty | 5 Years                                 |
| Average Lifetime (h)     | 50000                                   |

### Technical Information

|                             |                   |
|-----------------------------|-------------------|
| Emergency Lighting          | No Emergency Unit |
| Tilttable                   | No                |
| Technology                  | LED Integrated    |
| Wattage                     | 11                |
| Voltage (V)                 | 220-240           |
| Dimmable                    | Not Dimmable      |
| Colour Code                 | 840 Cool White    |
| Colour temperature (Kelvin) | 4000 Cool White   |
| Colour Rendering (Ra)       | 80-89             |
| Colour of Light             | White             |
| Light colour options        | Single Color      |
| Including bulb              | Yes               |

|                          |                                       |
|--------------------------|---------------------------------------|
| Driver Included          | Yes                                   |
| Beam Angle (degree)      | 110                                   |
| Luminous Flux (Lumen)    | 990                                   |
| Luminous Efficacy (lm/W) | 90                                    |
| Unified Glare Rating     | < 28 - for hallways and storage rooms |
| Optical Cover            | PC (Polycarbonate)                    |
| Finish of Reflector      | PC (Polycarbonate)                    |
| Product Type Category    | LED Downlight                         |

## Fixture Information

|                        |                        |
|------------------------|------------------------|
| EOC8                   | 67949100               |
| Mounting Method        | Recessed               |
| Cut out (mm)           | 150x150                |
| IP-rating              | IP20                   |
| Impact Protection (IK) | IK03 - 0.35 joule      |
| Operating Temperature  | -20 to +40             |
| Housing                | Metal, Plastic         |
| Colour of the Fixture  | White                  |
| Colour of material     | White                  |
| Fixture Connection     | Connection unit 2-pole |
| Series                 | DN065B                 |

## Dimensions

|               |     |
|---------------|-----|
| Height (mm)   | 39  |
| Diameter (mm) | 175 |

## Sensor Information

Type of sensor

No Sensor

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

