



Specifications Philips LED Floodlight  
Ledinaire BVP164 Grey 50W 6000lm  
110D - 840 Cool White | IP65 -  
Symmetrical - Motion and Light  
Sensor

[View Product](#)

General Information

|                          |                                     |
|--------------------------|-------------------------------------|
| SKU                      | 243137                              |
| EAN                      | 8719514534759                       |
| Brand                    | Philips                             |
| Manufacturer Name        | BVP164 LED60/840 PSU 50W SWB MDU CE |
| Any Lamp all-in warranty | 3 Years                             |
| Average Lifetime (h)     | 50000                               |

Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Wattage                     | 50              |
| Replaces (Watt)             | 50              |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Not Dimmable    |
| Colour Code                 | 840 Cool White  |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra)       | 80-89           |
| Colour of Light             | White           |
| Light colour options        | Single Color    |
| Luminous Flux (Lumen)       | 6000            |
| Luminous Efficacy (lm/W)    | 120             |

|                       |                |
|-----------------------|----------------|
| Beam Angle (degree)   | 110            |
| Tiltable              | Yes            |
| Power factor          | >0.90          |
| Product Type Category | LED Floodlight |

## Fixture Information

|                        |                   |
|------------------------|-------------------|
| EOC8                   | 53475999          |
| Mounting Method        | Surface           |
| Including bulb         | Yes               |
| Fixture Connection     | Cable, 3-pole     |
| Optical Cover          | Glass             |
| Light Distribution     | Symmetrical       |
| IP-rating              | IP65              |
| Impact Protection (IK) | IK07 - 2 joules   |
| Operating Temperature  | -20 to +45        |
| Colour of the Fixture  | Grey              |
| Housing                | Aluminium         |
| Colour of material     | Grey              |
| Emergency Lighting     | No Emergency Unit |
| Series                 | Ledinaire         |

## Dimensions

|             |     |
|-------------|-----|
| Length (mm) | 173 |
| Width (mm)  | 263 |
| Height (mm) | 53  |

## Sensor Information

Type of sensor

Light Sensor, Motion Sensor

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

